

8K UHD 48 Gbps

# XENOS W35

8K FIBER OPTIC HDMI CABLE

**HDR 10+**

Compatible

**eARC**

Audio Return Channel

**Dolby 7.1**

Surround Sound

**DTS-HD**


Compatible

**HFR**

High Frame Rate

**HDCP 2.3**

Compatible



# XENOS W35


## 8K FIBER OPTIC HDMI CABLE

2 M | 3 M | 5 M

Ultra-slim 3.5mm, 48 Gbps high-quality signal over long distances. Support for 8K60Hz and 4K120Hz resolution, Dynamic HDR, eARC, DTS-HD, VRR, Auto Low Latency Mode (ALLM), and more.

### Product Specification

Version	HDMI 2.1
Resolution	8K60Hz (7680x4320), 4K120Hz (3840x2160)
Bandwidth	48 Gbps
Color Support	YCbCr 4:4:4, YCbCr 4:2:2,
Video Support	UHD, FHD, HDCP 2.3, Dynamic HDR
Audio Support	Enhanced Audio Return Channel (eARC), Dolby Atmos, DTS-HD Master
Storage	-30° ~ 75° C
Operation	-40°C ~ 85°C / 85% RH
Pull Testing	12 kgf
Pressure Testing	450 kgf
Warranty	2+1 years
Outside Diameter	3.5 mm (0.14 inch)



**HDMI**<sup>®</sup>  
HIGH-DEFINITION MULTIMEDIA INTERFACE

### Ultra-slim, light-weight and pliable

VIVIFY's ultra-slim 3.5mm fiber optic cable is lighter and more pliable than traditional copper cables. Our fiber optic cable is unaffected by EMI, corrosion, and delivers no signal loss over long-distance transmissions.

### HDMI 2.1 Compliant

VIVIFY 8K fiber optic HDMI cable supports 48 Gbps UHD 8k@60Hz, 4K@120Hz, 2K@240Hz resolutions, Dynamic HDR and HDCP2.3 video support, eARC, Dolby Atmos and DTS-HD Master Audio audio support.

### Chemical and fire resistant

Our cables have a protective outer layer made from aluminum plating, medical-grade TPE cable housing, and Kevlar, which makes it chemical and fire-resistant. From design to production, each step undergoes a rigorous process to ensure the highest product quality.

8K UHD 48 Gbps

# XENOS W35

8K FIBER OPTIC HDMI CABLE

**HDR 10+**

Compatible

**eARC**

Audio Return Channel

**Dolby 7.1**

Surround Sound

**DTS-HD**


Compatible

**HFR**

High Frame Rate

**HDCP 2.3**

Compatible



# XENOS W35

## 8K FIBER OPTIC HDMI CABLE

10 M | 15 M

CL2 rated cable for long distance in-wall installation, high-quality 48Gbps bandwidth HDMI signal over a long distance with support for 8K60Hz and 4K120Hz resolution, Dynamic HDR, eARC, DTS-HD, VRR, Auto Low Latency Mode (ALLM), and more.

### Product Specification

Version	HDMI 2.1
Resolution	8K60Hz (7680x4320), 4K120Hz (3840x2160)
Bandwidth	48 Gbps
Color Support	YCbCr 4:4:4, YCbCr 4:2:2,
Video Support	UHD, FHD, HDCP 2.3, Dynamic HDR
Audio Support	Enhanced Audio Return Channel (eARC), Dolby Atmos, DTS-HD Master
Storage	-30° ~ 75° C
Operation	-40°C~ 85°C / 85% RH
Pull Testing	12 kgf
Pressure Testing	450 kgf
Warranty	2+1 years
Certified	HDMI, CL2 (32 ft , 50 ft)
Outside Diameter	5.2 mm (0.20 inch)



**HDMI**<sup>®</sup>  
HIGH-DEFINITION MULTIMEDIA INTERFACE

### Long and light-weight Fiber Optic

Made with fiber optic, the XENOS W35 is light, slim, soft, and pliable. Perfect for in-wall installation such as wall-mounted TVs, TV cabinets, enclosed desktops, or devices placed close to walls.

### HDMI 2.1 Compliant

VIVIFY 8K fiber optic HDMI support 48 Gbps UHD 8k@60Hz, 4K@120Hz, 2K@240Hz resolution, Dynamic HDR and HDCP2.3 video support, eARC, Dolby Atmos and DTS-HD Master Audio audio support.

### Chemical and fire resistant

Our cables have a protective outer layer made from aluminum plating, medical-grade TPE cable housing, and Kevlar, which makes it chemical and fire-resistant. From design to production, each step undergoes a rigorous process to ensure the highest product quality.